H05 -- Roof ▼ RL 586.019 RL 585.895 REMOVE EXISTING CORRUGATED SHEET FROM ROOF. RETAIN STEEL TRUSSES AND TIMBER CEILING **RAFTERS** RL 582.883 – EXISTING ROOF TRUSSES RETAINED RL 580.670 - EXISTING FILL ON TOP OF KILNS H05 -- Level 1
▼ RL 580.330 REMOVED TO ALLOW FOR ADDITIONAL HEIGHT UNDER TRUSSES RL 579.213 EXISTING VERANDAH TO BE -REMOVED, INCLUDES STEEL POSTS, - SECTION BETWEEN KILNS TIMBER ROOF FRAMING, TIMBER REMOVED AS PER STRUTS AND METAL ROOF SHEET STRUCTURAL ENGINEERS METHODOLOGY H05 -- Ground Floor ▼ RL 576.610

DA-H05 - Demolition Section - AA

1:100@A1

REMOVE EXISTING -H05 -- Roof ROOF. RETAIN STEEL TRUSSES AND TIMBER CEILING RAFTERS - REMOVE SMALL EXTENSION INCLUDING ROOF AND STRUCTURE - REMOVE EXISTING ROOF, GUTTER AND ASSOCIATED STRUCTURE THAT HAS BEEN FIXED TO ENDOF HARDY PATENT KILN 2 STORE REMOVED FLASHINGS AND CORRUGATED SHEETS ON SITE FOR POTENTIAL REUSE EXISTING VERANDAH TO BE REMOVED, INCLUDES STEEL POSTS, TIMBER ROOF FRAMING, TIMBER STRUTS AND METAL ROOF SHEET -RL 580.786 H05 -- Level 1 RL 580.330 - REMOVE TIMBER LADDER AGAINST SLOPING BRICKWORK - RETAIN EXISTING BRICK KILNS RL 576.857 H05 -- Ground Floor RL 576.610 RETAIN ARCHED OPENINGS TO ALL EXHAUST FLUES - CREATE NEW OPENINGS IN VAULTS WITH ASSOCIATED STRUCTURAL WORKS

DA-H05 - Demolition Section - BB

**EXISTING** 

TO ALL KILN VAULTS:

DIFFERENTLY.

POSSIBLE TO DO SO.

REQUIRED TO ENSURE SAFE

\* THE INTENT IS FOR THE BRICK KILNS TO BE PRESENTED INTACT WITH A MINIMUM OF REMEDIAL WORKS.

\* STRUCTURALLY STABILISE VAULTS WHERE

\* FULL HAZARDOUS MATERIALS AUDIT OF ALL SURFACES REMEDIAL WORKS MAY BE REQUIRED TO ENSURE A SAFE USABLE SPACE. DEPENDING ON AUDIT FINDINGS THIS MAY INVOLVE THE REMOVAL OF HAZARDOUS
MATERIALS OR THEIR ENCAPSULATION BEHIND A PAINT, FILM OR OTHER BARRIER. \* UNDERTAKE A "LIGHT CLEAN" OF BRICK SURFACES TO REMOVE DUST, DIRT, ANY
"NON-HERITAGE"GRAFFITI, AND ANY HANGING RESIDUE ON CEILING UNLESS INDICATED

\* DISCOLORATION AND TRACES OF THE FIRING PROCESS ARE TO BE LEFT INTACT WHERE IT IS

ELEMENTS DEMOLISHED


ELEMENTS REMOVED BUT STORED ON SITE FOR REUSE

Nominated Architects: Adam Haddow-7188 | John Pradel-7004 In accepting and utilising this document the recipient agrees that SJB Architecture (NSW) Pty. Ltd. ACN 081 094 724 T/A SJB Architects, retain all common law, statutory law and other rights including copyright and intellectual property rights. The recipient agrees not to use this document for any purpose other than its intended use; to waive all claims against SJB Architects resulting from unauthorised changes; or to reuse the document on other projects without the prior written consent of SJB Architects. Under no circumstances shall transfer of this document be deemed a sale. SJB Architects makes no warranties of fitness for any purpose. The Builder/Contractor shall verify job dimensions prior to any work commencing. Use figured dimensions only. Do not scale drawings.

Use figured dimensions only. Do not scale drawings.

By Chk. 1 15.10.2021 For Information DM EW
DM EW
DM EW 2 08.07.2022 Draft DA Issue 10.05.2023 For Information 4 19.07.2023 For Approval





BRICKWORKS HERITAGE CORE - Yarralumla, ACT 2600

H05 - HARDY PATENT KILN 2 Drawing Name Demolition Sections - AA & BB

Date	Scale	Sheet S
19.07.2023	1 : 100	@ A1
Drawn	Chk.	
DM	EW	
Job No.	Drawing No.	Revision
5479	DA-H05-1551/4	

SJB Architects Size

> Level 2 490 Crown Street Surry Hills NSW 2010 Australia T 61 2 9380 9911 F 61 2 9380 9922 www.sjb.com.au