

LEGEND

	SILT FENCE
	STORMWATER, HEADWALL
	GRASSED SWALE
	EXISTING CONTOURS @ 1m INTERVALS
	TEMPORARY FENCE (1800mm HIGH MESH)
	EXISTING FENCE
	ELECTRICITY HV OVERHEAD
	CATCHMENT BOUNDARIES
	OVERLAND FLOW PATH
	CUTOFF DRAIN FOR CSG SITE RUNOFF
	EXISTING DAM
	SEDIMENT BASIN
	SITE COMPOUND
	HAY BALE
	EXISTING TREE

- NOTES**
- THIS DRAWING IS A CONCEPT PLAN ONLY. A POLLUTION CONTROL PLAN WILL NEED TO BE DESIGNED TO COMPLY WITH THE REQUIREMENTS OF THE ENVIRONMENT PROTECTION ACT 1997 AND THE "ENVIRONMENT PROTECTION GUIDELINES FOR CONSTRUCTION AND LAND DEVELOPMENT IN THE ACT", EPA MARCH 2011.
 - VARIATIONS TO APPROVED CONCEPTS AND PROPOSALS ARE TO BE ENDORSED BY ENVIRONMENT PROTECTION AUTHORITY PRIOR TO IMPLEMENTATION.
 - THE CONTRACTOR MUST ENTER INTO AN ENVIRONMENT PROTECTION AGREEMENT WITH THE ENVIRONMENT PROTECTION AUTHORITY.
 - SEDIMENTATION POND LOCATION SHALL BE APPROVED BY SUPERINTENDENT PRIOR TO ITS CONSTRUCTION.
 - NO SPOIL TO BE REMOVED FROM SITE UNLESS APPROVED BY EPA.
 - FOR DETAILS OF STORMWATER NETWORK REFER STORMWATER MASTER PLANS ON 21-000475-D060.
 - REFER TO TREE MANAGEMENT PLAN FOR MANAGEMENT DETAILS OF THE TREES TO BE RETAINED.
 - ENVIRONMENTAL PROTECTION MEASURES INCLUDING STABILISED ACCESS POINTS, DUST SUPPRESSION, RECYCLING OF WATER, ARE TO BE MAINTAINED AT ALL TIMES AND AN APPROPRIATE MAINTENANCE SCHEDULE SHALL BE PROVIDED PRIOR TO COMMENCEMENT OF WORKS.
 - FOR ALL IMPORTED FILL MATERIAL, THE DETAILS OF ORIGIN AND QUANTITY ARE TO BE RECORDED AND PROVIDED TO ENVIRONMENT ACT PRIOR TO COMMENCEMENT OF EARTHWORKS.
 - TEMPORARY FENCING SHALL BE PLACED AROUND ALL EXISTING TREES TO BE RETAINED PRIOR COMMENCEMENT OF WORKS.
 - ERECT 1.8m HIGH TEMPORARY FENCE PANELS AROUND WORKS AREA BEFORE COMMENCEMENT OF WORKS.
 - CONTRACTOR TO LOCATE TEMPORARY STOCKPILES TO APPROVAL OF SUPERINTENDENT AND EPA.


CONSTRUCT LINED CUTOFF DRAIN AROUND CSG SITE AT COMMENCEMENT OF WORKS TO DIVERT CLEAN RUN OFF AROUND THE CSG SITE

CONSTRUCT SEDIMENT AND CONTROL. MINIMUM POND SIZE OF 600m³

RUN OFF FROM CSG SITE TO BE DIVERTED INTO POND

Plot Date: 28-Oct-22 9:57 AM File: H:\12121-0004756_Model\Civil\3D\21-000475-D100.dwg User:Byju Mathew

FIRST ISSUE	DESIGN	DRAWN	CHECK	APPROVED	DATE	AMENDMENT DETAILS
ARM	BM	CK	CU		06/04/2022	
A	CPL	EH	CU	CU	28/10/2022	NOTE: LEGEND, STOCKPILE AND OVERLAND FLOW PATH UPDATED



CANBERRA SAND AND GRAVEL, BLOCK 1582 BELCONNEN

DISCLAIMER
ALL DIMENSIONS TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO CONSTRUCTION. USE WRITTEN DIMENSIONS ONLY, DO NOT SCALE.

CONCEPT SEDIMENT AND EROSION CONTROL PLAN

21-000475 D100 --- A