







- NOTES:
1. CONCRETE STRENGTH GRADE SHALL BE N25.
 2. SIDE WALLS OF ALL PITS DEEPER THAN 1500 ARE TO BE REINFORCED WITH ONE LAYER OF SL82 MESH RETURNED 200 INTO BASE.
 3. DEPTH OF PIT NOT TO EXCEED 3500 (SPECIAL DESIGN REQUIRED).
 4. PITS DEEPER THAN 1200 TO BE FITTED WITH GALVANISED STEP IRONS.
 5. ALL EXPOSED EDGES TO BE ROUNDED WITH 20 RADIUS.
 6. WHERE LONGITUDINAL PIPE DIAMETER EXCEEDS 525, PIT WALLS TO BE STEPPED IN ACCORDANCE WITH DS2014/00548.
 7. LOCATION AND LEVEL OF SETOUT POINT SHOWN ON DESIGN PLANS.
 8. FOR DETAILS OF GRATE AND FRAME DETAILS REFER R0220-23.

STANDARD GULLY PIT SO1



- NOTES:
1. CONCRETE STRENGTH GRADE SHALL BE N25.
 2. SIDE WALLS OF ALL PITS DEEPER THAN 1500 ARE TO BE REINFORCED WITH ONE LAYER OF SL82 MESH RETURNED 200 INTO BASE.
 3. DEPTH OF PIT NOT TO EXCEED 3500 (SPECIAL DESIGN REQUIRED).
 4. PITS DEEPER THAN 1200 TO BE FITTED WITH GALVANISED STEP IRONS.
 5. ALL EXPOSED EDGES TO BE ROUNDED WITH 20 RADIUS.
 6. WHERE LONGITUDINAL PIPE DIAMETER EXCEEDS 525, PIT WALLS TO BE STEPPED IN ACCORDANCE WITH DS2014/00548.
 7. LOCATION AND LEVEL OF SETOUT POINT SHOWN ON DESIGN PLANS.
 8. MINIMUM COVER TO OUTSIDE REINFORCEMENT 50mm.
 9. FOR DETAILS OF GRATE AND FRAME DETAILS REFER R0220-23.

STANDARD GULLY PIT SO2

150 mm ON ORIGINAL
A1

DRAWING FILE LOCATION / NAME V:_Vault\Projects\3002750\CAD\DWG\07_Drainage\3002750-DD-1449.dwg		PLOT DATE 15 Mar 2024		TIME 12:51:54	
EXTERNAL REFERENCE FILES		REV	DATE	AMENDMENT / REVISION DESCRIPTION	
		A	#REF!	#REF!	
		WVR No.	APPROVAL	TITLE	NAME
		#REF!	#REF!	DRAFTER	N. BROOKE-TAYLOR
				DRAFTING CHECK	X. SECUBAN
				DESIGNER	M. RAHMAN
				DESIGN CHECK	D. DONGOL
				PROJECT MANAGER	K. DECANHA
				PROJECT DIRECTOR	T. VAN NIEKERK
		SCALES AT A1 SIZE DRAWING		NTS	
		DESIGNER		 Member of the Surlana Jurong Group ABN 47 065 475 149	
		CLIENT		 Transport Canberra & City Services	
		PROJECT TITLE		WILLIAM HOVELL DRIVE DUPLICATION	
				DRAINAGE STANDARD DRAINAGE SERIES - GULLY PITS SO1 & SO2	
SCALE	PHASE	PROJECT / DRAWING No.		REVISION	
AS SHOWN	DETAIL DESIGN	3002750-DD-1449		A	

DR